

1. Technician A says you can pour solvent out of the can into a spray gun without using a strainer. Technician B says you should strain everything you pour into your spray gun. Who is correct?

<input type="radio"/> (A) Technician A	<input checked="" type="radio"/> (B) Technician B
<input type="radio"/> (C) Both	<input type="radio"/> (D) Neither
2. Which of the following statements is incorrect?

<input type="radio"/> (A) The objective of blending is to create the illusion that only one color is being seen.	<input type="radio"/> (B) It is not practical to try to get a perfect color match when blending
<input checked="" type="radio"/> (C) When preparing the rest of the car, always prepare the adjacent panels for blending.	<input type="radio"/> (D) None
3. When spot repainting with solid colors, Technician A applies the topcoat with a circular motion from the center outward. Technician B applies the topcoat in short strokes from the center outward. Who is correct?

<input type="radio"/> (A) Technician A	<input checked="" type="radio"/> (B) Technician B
<input type="radio"/> (C) Both	<input type="radio"/> (D) Neither
4. Which of the following would be considered a panel repair?

<input type="radio"/> (A) Paint is blended	<input checked="" type="radio"/> (B) Whole panel is painted
<input type="radio"/> (C) Half of a panel is painted	<input type="radio"/> (D) Several panels are painted
5. Which of the following statements concerning basecoat/clearcoat applications is incorrect?

<input type="radio"/> (A) Never sand a basecoat for any reason	<input type="radio"/> (B) Never thin or reduce clearcoats before applying them.
<input type="radio"/> (C) Only one mist coat of basecoat is needed.	<input checked="" type="radio"/> (D) All

Automotive Refinishing Technician

6. A flexible bumper is going to be painted. Technician A says a flex additive is not needed. Technician B says it is best to use a flex additive on flexible panels to prevent the paint from cracking. Who is correct?
- A Technician A B Technician B
 C Both D Neither
7. A spray-out test panel does not match the metallic color on the vehicle. The color is a little too dark. Technician A says to tint the paint first. Technician B says to try to lighten the color by misting the last coat of metallic. Who is correct?
- A Technician A B Technician B
 C Both D Neither
8. When evaluating the color of a finish, under which type of light should it be viewed?
- A Sunlight B Incandescent light
 C Fluorescent light D Drop light
9. Technician A says to use a spectrophotometer when trying to match the color on a vehicle. Technician B says to use a computerized paint matching system. Who is correct?
- A Technician A B Technician B
 C Both D Neither
10. Which term refers to a color's level of intensity, or the amount of gray (black and white) in it?
- A Hue B Chroma
 C Tint D Value
11. Which of the following colors will a tank used for R-134a refrigerant?
- A white B light blue
 C red D orange

Automotive Refinishing Technician

1086. How is the extent of secondary damage diagnosed when a unibody vehicle is hit on the front right corner causing inner-structural damage?
- A Compare side-to-side measurements. B Perform visual inspection.
 C Mount a set of centering gauges. D Check for wheel alignment.
1087. Which of the following could cause driveline vibrations?
- A none of these B over lubricated universal joints
 C bad engine mounts D crossed plug wires
1088. What is the name for a full set of paint pigments and solvents that can be mixed at the body shop?
- A Factory-packaged colors B Custom-mixed colors
 C Intermix system D Manufacturer system
1089. After a panel repair and repainting, the masking paper is removed and it is discovered that the new metallic paint is darker than the original color. Technician A says that the last color coat might have been sprayed too wet. Technician B says that the painter might not have made a spray-out test panel to check the new paint color. Who is correct?
- A Technician A B Technician B
 C Both D Neither
1090. A small paint run is being repaired. Technician A says to block sand the run with #600-grit wet sandpaper to quickly plane the area level. Technician B says to start by sanding with much finer sandpaper, such as #1500 grit. Who is correct?
- A Technician A B Technician B
 C Both D Neither
1091. Technician A says to use a light mist coat when applying the last color coat. Technician B says to always use a full wet coat with metallics. Who is correct?
- A Technician A B Technician B
 C Both D Neither

