

Industrial Mechanic Millwright

5. Large impulse turbines will use what of rotor?
- (A) Build-up rotors (B) Solid rotors.
(C) Combination of solid and build-up rotors. (D) All
6. The most effect purging medium to use when dealing with iron sulphide is:
- (A) air (B) carbon dioxide.
(C) nitrogen (D) water
7. The shape of a ball bearing is _____ when a load is applied to the ball.
- (A) elliptical (B) circular
(C) rectangle (D) radial
8. Which of the following is a typical 4000 hour inspection duty with compressors?
- (A) Service the crankcase breather (B) Take oil samples
(C) Recalibrate all temperature and pressure gauges (D) Check gas discharge and inlet temperatures
9. What does the term nominal filter refer to?
- (A) A ratio of large to small particles found in a test run. (B) The largest particle that will pass through the filter under specific test conditions.
(C) The length of time a filter is functional based on particle tests. (D) That a stated percentage of a certain size particle will be stopped.
10. Which of the following best defines a breaker fabric?
- (A) An open mesh used to reinforce against longitudinal breaking under impact (B) A single layer of fabric that provides load support
(C) The traverse yarns that run perpendicular to the warp yarns (D) Yarns in the fabric that provide the tension strength

Industrial Mechanic Millwright

1100. The air we breathe is comprised of ____% oxygen.

(A) 62

(B) 21

(C) 47

(D) 12