


PLUMBER

Goodluck!



1. Trap arms and fixture drains are to be installed with roughly _____ of an inch downward slope for every foot of trap arm length.

- (A) half (B) seven eighths
 (C) three quarters (D) one quarter

2. What can put a great deal of stress on your neck, shoulders, back, and legs when lifting heavy objects?

- (A) bending your knees when lifting heavy objects (B) keeping your knees straight and bending keeping your back straight
 (C) not bending at your knees and keeping your back straight

3. 1. The Propane Storage and Handling Code is _____.

- (A) B149.2-00 (B) B148.1-00
 (C) B149.1-00

4. 1. The wires of a thermostat are wired to terminals:

- (A) R,Y,G (B) R,W,G
 (C) W,Y,G (D) W,G,COM

5. The ideal location for a circulator pump installed in a hot water heating system is:

- (A) on the supply after the zone valve (B) on the supply before the expansion tank
 (C) on the supply after the expansion tank (D) on the return close to the boiler

6. A toilet seat used in a public washroom must be?

- (A) cover-less type (B) round type
 (C) plastic non-permeable type (D) elongated open front type

1148. What is the maximum horizontal offset permitted in a 3" soil or waste stack that is serving as a wet vent?

A 2.5m

B 3.5m

C 1.2m

D 1.8m

1149. Calculate the pressure in water at a 150m depth?

A 1785kpa

B 1470kpa

C 1565kpa

D 1450kpa

1150. Using a ladder wheel hoist, which of the following methods is used to unload a bucket of hot asphalt?

A always one hand on the bucket.

B always both hands on the bucket.

C always grappling hook

D two workers should unload the bucket.

1151. Type ____ copper tube is used for circulating the hot water from compact boilers to unobtrusive baseboard heaters?

A L

B K

C M

D DWV

1152. The amount of water that a well is capable of supplying at a given time is the definition of _____.

A well screen

B well size

C well yield

D well loss

1153. Water enters the tank of a water closet through the:

A float ball.

B hush tube.

C flapper.

D refill tube.

1154. The provisions for licensing are determined by which of the following:

- (A) State Board of Plumbing
- (B) The responsible master plumber
- (C) Plumbing inspector
- (D) Authority having jurisdiction